CANCER BURDEN

In 2004, the American Cancer Society estimates that¹

- 1,368,030 new cancer cases will be diagnosed in the United States, including 59,410 in Ohio.
- 563,700 cancer deaths will occur in the United States, including 24,480 in Ohio.

The average annual age-adjusted death rate for cancer per 100,000 persons²

Ohio: 212.4 **National:** 199.8

LUNG CANCER

In 2004, the American Cancer Society estimates that1

- 7,720 new cases of lung cancer will be diagnosed among men and women in Ohio.
- 7,130 men and women will die of lung cancer in Ohio.

The CDC National Center for Health Statistics provides the following death rates:

The average annual age-adjusted death rates for lung cancer per 100,000 persons, by race, 1997–2001^{2,3}

	Ohio	National
Overall	61.4	56.2
White	60.3	56.2
Black	76.1	65.2
Hispanic	22.6	24.9
Asian/Pacific Islander	31.2	28.2
American Indian/Alaska Native	-	36.3

BREAST CANCER

In 2004, the American Cancer Society estimates that1

- 10,070 new cases of breast cancer will be diagnosed among women in Ohio.
- 1,870 women will die of breast cancer in Ohio.

The CDC National Center for Health Statistics provides the following death rates:

The average annual age-adjusted death rates for breast cancer per 100,000 persons, by race, 1997–2001^{2,3}

	Ohio	National
Overall	29.0	27.0
White	28.2	26.4
Black	37.8	35.4
Hispanic	15.9	17.2
Asian/Pacific Islander	11.6	12.6
American Indian/Alaska Native	-	13.6

Visit http://www.cdc.gov/cancer/npcr/index.htm — *United States Cancer Statistics* — for more information on top cancer sites by geographic area, race, and gender.

COLORECTAL CANCER

In 2004, the American Cancer Society estimates that1

- 6,760 new cases of colorectal cancer will be diagnosed among men and women in Ohio.
- 2,610 men and women will die of colorectal cancer in Ohio.

The CDC National Center for Health Statistics provides the following death rates:

The average annual age-adjusted death rates for colorectal cancer per 100,000 persons, by race, 1997–2001^{2,3}

	Ohio	National
Overall	23.2	20.8
White	22.7	20.3
Black	30.3	28.3
Hispanic	15.5	14.2
Asian/Pacific Islander	7.3	13.0
American Indian/Alaska Native	-	13.9

PROSTATE CANCER

In 2004, the American Cancer Society estimates that¹

- 8,620 new cases of prostate cancer will be diagnosed among men in Ohio.
- 1,120 men will die of prostate cancer in Ohio.

The CDC National Center for Health Statistics provides the following death rates:

The average annual age-adjusted death rates for prostate cancer per 100,000 men, by race, 1997–2001^{2,3}

	Ohio	National
Overall	32.2	31.5
White	29.3	28.8
Black	68.3	70.4
Hispanic	27.8	23.6
Asian/Pacific Islander	-	13.0
American Indian/Alaska Nativ	re -	20.2

¹ Source: American Cancer Society Facts and Figures, 2004. Estimates exclude more than a million cases of basal and squamous cell skin cancers and *in situ* cancers, except urinary bladder, that will be diagnosed in 2004. Lung cancer rates include bronchus cancer. State death totals were rounded to nearest 10.

² Source: Centers for Disease Control and Prevention (CDC) National Center for Health Statistics, vital statistics data, underlying cause of death, 1997–2001. Death rates are per 100,000 and are age-adjusted to the 2000 U.S. standard population.

³ Hyphens represent suppression of rates when there were 75,000 or fewer persons in the denominator or 20 or fewer deaths in the numerator.